8-inch, Six-core Platform, Android 11, Build-in 4G/5G, Vehicle Mount Computer







Introduction

VT-640A is a 8-inch smart vehicle terminal designed for application in container terminal. It could be mounted in container trucks, RTG, OTG and other special vehicles. All VT products are fanless design with wide working temperature and wide voltage input. VT-640A is equipped with high-performance 6-core processor, integrated with 8-inch high-definition touch screen and optional Wi-Fi, 4G/5G, GPS, Bluetooth and other wireless communication modules to provide real-time communication.

Features

- 8-inch(1280x720) LCD with capacitive touch screen
- High-performance 6-core processor, up to 1.8GHz
- Rugged aluminum enclosure and fanless design
- Full IP65 dust/water protection
- Wide range 8-36V DC Power input
- VESA 75 and 100 standard mounting
- Flexible expansion capability for WiFi, Bluetooth, 4G/5G, GPS














Dimensions



Specifications

System		I/O Ports	
Processor RAM Flash Memory	ARM Dual-core A72 + Quad-core A53, up to 1.8GHz 4GB LPDDR4 32GB EMMC	COM Port USB	1 x RS-232 1 x USB 1 x USB / OTG
Expansion Slot Operation System	1 x TF Card, up to 128GB Android 11	Ethernet SIM	1 x 1000M RJ45 1 x Nano-SIM
Display		Audio	
Size	8-Inch	Speaker	1 x 8Ω/2W
LCD panel Resolution(H x V)	Industry Grade x V) 1280 x 720 750cd/ LED Backlight	Power Management	
Brightness Backlight		Power Input Power Consumption	8~36VDC 10W typ.
Touchscreen	Capacitive	Environmental	
Button Button Wireless	Power on/off Brightness +/-	Operating Temperature Storage Temperature IP Protection Level Standard Mounting Testing standard	-20°C ~ $+60$ °C -30°C ~ $+70$ °C IP65 (I/O interface must be closed) VESA 75/100
WLAN	802.11 a/b/g/n/ac (2.4G/5G) 4G LTE FDD/TDD, TD-SCDMA/WCDMA, CDMA/GSM 5G NR/NSA/SA, LTE FDD/TDD, WCDMA (Optional) GPS/GLONASS/BeiDou/QZSS/Galileo/SBAS Bluetooth V4.2	Authentication	MIL-STD 810G CE FCC
WWAN		Mechanical	
GPS Bluetooth		Dimension Weight	240 x 190 x 53 (mm) 1.8 Kg